

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Docket No.: C 27

Abstract:

A cleaning composition comprising: (a) an oily substance; and (b) a solubilizer containing:

5 (i) a first surfactant selected from the group consisting of a fatty alcohol ethoxylate corresponding to formula (I): $R^1-(C_2H_4O)_n-H$, wherein R^1 is a linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms, and n is an integer from 1 to about 10, a fatty alcohol alkoxylate corresponding to formula (II) $R^2-(C_2H_4O)_n-(C_3H_6-O)_m-H$, wherein R^2 is a linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms, and n and m are, independently from one another,

10 an integer from 1 to about 10, and mixtures thereof; (ii) an alkyl and/or alkenyl oligoglycoside corresponding to formula (III): $R^3O-[G]_p$, wherein R^3 is a branched and unbranched alkyl and/or alkenyl radical having from about 4 to 22 carbon atoms, G is a sugar radical having 5 or 6 carbon atoms, and p is a number from 1 to 10; (iii) a fatty alcohol ether sulfate corresponding to formula (IV): $R^4-(C_2H_4O)_n-SO_3K^+$ wherein R^4 is a

15 linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms, n is a number from 1 to about 10, and K^+ represents a cation; and (iv) optionally, an acid component.